



GLB Calcium Hardness Up

1. Product And Company Identification			
<u>Supplier</u> GLB 1400 Bluegrass Lakes Parkway	Manufacturer Advantis Technologies Inc. 1400 Bluegrass Lakes Parkway		
Alpharetta, GA 30004 United States	Alpharetta, GA 30004 United States		
Telephone Number: (770)521-5999 FAX Number: (770)521-5959 Web Site: www.poolspacare.com	Telephone Number: (770) 521-5999 FAX Number: (770) 521-5959 Web Site: www.poolspacare.com		
Supplier Emergency Contacts & Phone Number CHEMTREC - DAY OR NIGHT: (800) 424-9300	Manufacturer Emergency Contacts & Phone Number CHEMTREC - DAY OR NIGHT: (800) 424-9300		
ssue Date: 05/04/2001			
Product Name: GLB Calcium Hardness Up CAS Number: Not Established Chemical Family: Inorganic Salt Chemical Formula: CaCl2 MSDS Number: 55			
2. Composition/Information On Ingredients			
Ingredient Name		CAS Number	Percent Of Total Weight
CALCIUM CHLORIDE		10043-52-4	
POTASSIUM CHLORIDE		7447-40-7	
SODIUM CHLORIDE		7647-14-5	
Ingredients listed in this section have been determined to determined to be health hazards are listed if they comprise carcinogens are listed if they comprise 0.1% or more of t available in 29CFR 1910.1200(i)(1).	se 1% or more of the composi	tion. Materials	identified as
3. Hazards Identification			
Primary Routes(s) Of Entry Skin Contact, Eye Contact			
<u>Eye Hazards</u> Causes eye irritation tearing and blurred vision. Possi	ible corneal injury		
<u>Skin Hazards</u> Causes skin irritation from prolonged contact			
Ingestion_Hazards May cause nausea, vomiting, abdominal pain and dia	ırrhea		
Inhalation Hazards May cause respiratory tract irritation.			
Signs And Symptoms Irritation of Eyes, Skin and Respiratory Passages			

GLB Calcium Hardness Up

3. Hazards Identification - Continued

Conditions Aggravated By Exposure None Known

First_Aid (Pictograms)



4. First Aid Measures

<u>Eye</u>

In case of contact, hold eyelids apart and immediately flush eyes with plenty of water for at least 15 minutes. Consult Physician.

<u>Skin</u>

Wash the affected area under tepid running water using a mild soap. Remove contaminated clothing and shoes.

Ingestion

INDUCE VOMITING. Drink large amounts of water. Contact a physician or poison control.

Inhalation

If inhaled, remove to fresh air.

Fire Fighting (Pictograms)



5. Fire Fighting Measures

Flash Point: N/A °F Flammability Class: NOT FLAMMABLE

Extinguishing Media

Use the appropriate extinguishing media for the surrounding fire. Use water to cool fire-exposed containers.

Fire Fighting Instructions

Firefighters should wear self-contained breathing apparatus and full protective gear.

6. Accidental Release Measures

Sweep up and remove immediately. Collect and dispose. Flush spill area with water.

7. Handling And Storage

Handling And Storage Precautions

Keep out of reach of children. Keep containers tightly closed. Store material in a cool and dry place. Material may contain hazardous residue.

Handling_Precautions

Avoid contact with eyes.

Storage_Precautions

Store in a cool dry place.

Work/Hygienic_Practices

Use safe chemical handling procedures suitable for the hazards presended by this material.

GLB Calcium Hardness Up

Protective Clothing (Pictograms)	
8. Exposure Controls/Personal Protection	
Engineering Controls Local exhaust acceptable.	
Eye/Face Protection Safety glasses with side shields or goggles recommended.	
Skin Protection Chemical-resistant gloves.	
Respiratory Protection None normally required. If dust accumulation is a problem a dust mask is suggested.	
9. Physical And Chemical Properties	
Appearance White Granules	
Odor None	
Chemical Type: Mixture Physical State: Solid Melting Point: N/A °F Boiling Point: 388 °F Specific Gravity: N/A Percent Volitales: N/A Packing Density: NOT DETERMINED Vapor Pressure: 0.009 MMhG @20C Vapor Density: N/A pH Factor: 9-11 At a Concentration Of 1% SOLUTION IN WATER Solubility: SOLUBLE IN WATER Viscosity: NOT DETERMINED Evaporation Rate: N/A	
10. Stability And Reactivity	
Stability: Stable Hazardous Polymerization: Will not occur	
Conditions To Avoid (Stability) None known	
Incompatible Materials Sulfuric Acids yields hydrogen chloride gas, which is corrosive, irritating and reactive. Water reactive materia such as sodium cause an exothermic reaction. Methyl Vinyl Ether starts run away polymerization reaction. Z yields hydrogen gas with solutions which may explode. Metals are also incompatable.	
Hazardous Decomposition Products	

Hazardous Decomposition Products

CO2

GLB Calcium Hardness Up

10. Stability And Reactivity - Continued		
Conditions To Avoid (Polymerization) Temperatures above 350F, Humidity		
11. Toxicological Information		
<u>Skin Effects</u> Dermal LD50 (Rabbit)<5g/kg		
Acute_Oral_Effects LD50 mg/kg Rat 0.9-2.1 g/kg for 100% Calcium Chloride		
12. Ecological Information		
No Data Available		
13. Disposal Considerations		
Dispose in accordance with applicable federal, state and local government regulations.		
14. Transport Information		
Proper Shipping Name NOT REGULATED		
Hazard Class NOT REGULATED		
DOT Identification Number NONE		
DOT Shipping Label NOT ASSIGNED		
15. Regulatory Information		
Canadian Regulatory Information Class D, Div 2b - Poisonous or Infectious Material: other toxic effects		
WHMIS - Canada (Pictograms)		
NFPA HMIS		
HEALTH 1		
PERSONAL PROTECTION F		
16. Other Information		
Revision/Preparer Information		
MSDS Preparer: JHW3 This MSDS Superceeds A Previous MSDS Dated: 07/26/2000		
This Modo Superceeds A Previous Modo Dated: 0/120/2000		

GLB Calcium Hardness Up

Disclaimer

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitablility of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purposes(s).

GLB

Printed Using MSDS Generator™ 2000