

### **SAFETY DATA SHEET**

FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL:

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:

FOR ALL SDS QUESTIONS & REQUESTS, CALL:

1-800-654-6911 (OUTSIDE

USA: 1-423-780-2970) 1-800-424-9300 (OUTSIDE USA: 1-703-527-3887)

1-949-474-7707

PRODUCT NAME: All Clear, Green Algaecide

# 1. PRODUCT AND COMPANY IDENTIFICATION

17872 Mitchell N. Irvine, CA 92614-6034

USA

SYNONYMS: CHEMICAL FAMILY: None

SDS Number:

Telephone: +19494747707 Telefax: +19494747024 Web: WWW.ALLCLEAR.COM

DESCRIPTION / USE None established None established

00000012492

# 2. HAZARDS IDENTIFICATION

OSHA Hazard Classification: Slight Eye Irritant

Routes of Entry: Eyes Skin Ingestion

Chemical Interactions: None known.

Medical Conditions Aggravated: None known.

All Clear<sub>®</sub> Green Algaecide

REVISION DATE: 04/04/2013 Page 1 of 14



### **Human Threshold Response Data**

Odor Threshold Not established for product.

Irritation Threshold Not established for product.

#### Hazardous Materials Identification System / National Fire Protection Association Classifications

Hazard Ratings :	<u>Health</u>	<u>Flammability</u>	Physical / Instability	PPI / Special hazard.
HMIS	1	0	1	<u>nazara.</u>
NFPA	1	0	0	

Immediate (Acute) Health Effects

Inhalation Toxicity: Not expected to be an inhalation hazard at ambient conditions.

Inhalation of mist or vapor may cause irritation to the mucous

membranes of the respiratory tract.

Skin Toxicity: Not expected to be irritating to the skin. Not expected to be toxic from

dermal contact.

Eye Toxicity: Contact would be expected to cause minor irritation, consisting of

transient redness and swelling. No corneal involvement or visual

impairment is expected.

Ingestion Toxicity: Slightly toxic if swallowed. Ingestion may cause gastrointestinal

irritation, nausea, vomiting and diarrhoea.

Acute Target Organ Toxicity: May cause mild eye irritation. Ingestion may cause mild

gastrointestinal discomfort., Inhalation of mist or vapor may cause

irritation to the mucous membranes of the respiratory tract.

#### Prolonged (Chronic) Health Effects

Carcinogenicity: This product is not known or reported to be carcinogenic by any

reference source including IARC, OSHA, NTP or EPA.

Not known or reported to cause reproductive or developmental toxicity.

Reproductive and

Inhalation:

Developmental Toxicity:

There are no known or reported effects from chronic exposure except for effects similar to those experienced from acute exposure.

Skin Contact: There are no known or reported effects from chronic exposure.

Skin Absorption: There are no known or reported effects from chronic exposure.

Ingestion: There are no known or reported effects from chronic ingestion except for

effects similar to those experienced from single exposure.

Sensitization: This material is not known or reported to be a skin or respiratory

sensitizer.

Chronic Target Organ Toxicity: There are no known or reported effects to humans from repeated

exposure to this product.

Supplemental Health Hazard

Information:

No additional health information available.

All Clear<sub>®</sub> Green Algaecide

REVISION DATE: 04/04/2013

Page 2 of 14



# 3. COMPOSITION / INFORMATION ON INGREDIENTS

<u>CAS OR CHEMICAL NAME</u> <u>CAS #</u> <u>% RANGE</u>

Triethanolamine 102-71-6

Ethanolamine 141-43-5

BASIC COPPER CARBONATE 12069-69-1

Citric Acid 77-92-9

# 4. FIRST AID MEASURES

General Advice: Call a poison control center or doctor for treatment advice. For 24-hour

emergency medical assistance, call Arch Chemical Emergency Action Network at 1-800-654-6911. Have the product container or label with you when calling a

poison control center or doctor, or going for treatment.

Inhalation: IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an

ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

Call a poison control center or doctor for further treatment advice.

Skin Contact: IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin

immediately with plenty of water for 15-20 minutes. Call a poison control center or

doctor for treatment advice.

Eye Contact: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then

continue rinsing eye. Call a poison control center or doctor for treatment advice.

Ingestion: IF SWALLOWED: Call a poison control center or doctor immediately for treatment

advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give

anything by mouth to an unconscious person.



# 5. FIRE FIGHTING MEASURES

Flammability Summary (OSHA): The product is not flammable., Not combustible., The substance or

mixture is not classified as pyrophoric., Not explosive

Flammable Properties

Fire / Explosion Hazards: Will not burn

Extinguishing Media: Carbon dioxide (CO2) Dry powder Foam

Fire Fighting Instructions: Use water spray to cool unopened containers. In case of fire, use

normal fire-fighting equipment and the personal protective

equipment recommended in Section 8 to include a NIOSH approved

self-contained breathing apparatus.

Hazardous Combustion Products: During a fire, irritating and highly toxic gases may be generated by

thermal decomposition or combustion.

### 6. ACCIDENTAL RELEASE MEASURES

Situations:

Use the personal protective equipment recommended in Section 8 and a NIOSH approved self-contained breathing apparatus.

**Spill Mitigation Procedures** 

Air Release: Vapors may be suppressed by the use of water fog. Keep people

away from and upwind of spill/leak.

Water Release: This material is soluble in water. If the product contaminates rivers

and lakes or drains inform respective authorities.

Land Release: Contain spillage, soak up with non-combustible absorbent material,

(e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). After removal, flush contaminated area thoroughly with water. Avoid runoff into storm sewers and ditches which lead to

waterways.

Additional Spill Information: Prevent further leakage or spillage if safe to do so. Use personal

protective equipment as required. Evacuate personnel to safe areas.

## 7. HANDLING AND STORAGE

Handling: Do not take internally. Avoid contact with skin, eyes and clothing. If

in eyes or on skin, rinse well with water. Avoid breathing vapors,

mist or gas.

Storage: Store in a cool, dry and well ventilated place. Isolate from

incompatible materials. Do not freeze.

All Clear® Green Algaecide

REVISION DATE: 04/04/2013 Page 4 of 14



Incompatible Materials for Storage: Refer to Section 10, "Incompatible Materials."

**Empty Container Warning:** Empty containers retain hazardous residue, dispose of accordingly.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Ventilation: Local exhaust ventilation or other engineering controls are normally required

when handling or using this product to keep airborne exposures below the

TLV, PEL or other recommended exposure limit.

Protective Equipment for Routine Use of Product

Respiratory Protection: Wear a NIOSH approved respirator if levels above the exposure limits are

> possible., A NIOSH approved air purifying respirator with organic vapor cartridge and N95 particulate filter. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations

exceed ten (10) times the published limit.

Skin Protection: Avoid contact with skin. Impervious gloves

Safety glasses with side-shields Eye Protection:

Protective Clothing Type: impervious clothing

General Protective Emergency eyewash should be provided in the immediate work area.

Measures:

### **Exposure Limit Data**

CHEMICAL NAME Triethanolamine	<u>CAS #</u> 102-71-6	Name of Limit ACGIH	<u>Exposure</u> 5 mg/m3 TWA
Ethanolamine	141-43-5	ACGIH	3 ppm TWA
Ethanolamine	141-43-5	ACGIH	6 ppm STEL
Ethanolamine	141-43-5	OSHA Z1	3 ppm TWA 6 mg/m3 TWA
Ethanolamine	141-43-5	NIOSH-IDLH	30 ppm
BASIC COPPER CARBONATE	12069-69-1	ACGIH	1 mg/m3 Calculated as Cu TWA dusts and mists
BASIC COPPER CARBONATE	12069-69-1	OSHA Z1	1 mg/m3 TWA dusts and mists
BASIC COPPER CARBONATE	12069-69-1	NIOSH-IDLH	100 mg/m3

All Clear® Green Algaecide

REVISION DATE: 04/04/2013 Page 5 of 14



# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: liquid
Form No data.
Color: No data.
Odor: No data.

Molecular Weight: None established Specific Gravity: 1.190 - 1.210

20 °C

pH: 9.7 - 10.3

Boiling Point: 100 °C 212 °F

Freezing Point:

not applicable

Melting Point:

not applicable
Density: not applicable
Bulk Density: no data available
Vapor Pressure: no data available
Vapor Density: no data available

Viscosity: no data available no data available Solubility in Water: soluble in cold water

not applicable

Solubility in Water: Partition coefficient n-

octanol/water:

Evaporation Rate: <1

Oxidizing: None established

Volatiles, % by vol.:

VOC Content

HAP Content

no data available

no data available

Not applicable

# 10. STABILITY AND REACTIVITY

Stability and Reactivity Summary: Stable under normal conditions. Conditions to Avoid: Stable under normal conditions. Heat, flames and sparks.

Chemical Incompatibility: Acids, Nitrites

Hazardous Decomposition Products: Carbon oxides, nitrogen oxides (NOx), Hydrogen chloride

Decomposition Temperature: No data

# 11. TOXICOLOGICAL INFORMATION

All Clear® Green Algaecide

REVISION DATE: 04/04/2013 Page 6 of 14



#### Component Animal Toxicology

Oral LD50 value:

Triethanolamine LD50 = 7,390 mg/kg Rat Ethanolamine LD50 = 1,700 mg/kg rat BASIC COPPER LD50 = 1,350 mg/kg rat

CARBONATE

Citric Acid LD50 = 3,000 mg/kg rat

### Component Animal Toxicology

Dermal LD50 value:

Triethanolamine LD50 > 2,000 mg/kg Rabbit

Ethanolamine LD50 Approximately 1,000 mg/kg rabbit

BASIC COPPER no data available

CARBONATE 110 data availa

Citric Acid LD50 Believed to be > 2,000 mg/kg rabbit

### Component Animal Toxicology

Inhalation LC50 value:

Triethanolamine A saturated vapor concentration for 8 hours (rats) did not produce any deaths.

Ethanolamine LC50 1 h > 4.8 MG/L mouse Ethanolamine LC50 4 h > 970 ppm mouse

BASIC COPPER no data available

CARBONATE

Citric Acid no data available

**Product Animal Toxicity** 

Oral LD50 value: LD50 Believed to be approximately 4,200 mg/kg rat

<u>Dermal LD50 value</u>: LD50 Believed to be > 2,000 mg/kg rabbit

Inhalation LC50 no data available

value:

Skin Irritation: Not expected to be irritating to the skin.

Eye Irritation: slight irritation

Skin Sensitization: This material is not known or reported to be a skin or respiratory sensitizer.

Acute Toxicity: May cause mild eye irritation. Ingestion may cause mild gastrointestinal

discomfort.Inhalation of mist or vapor may cause irritation to the mucous

membranes of the respiratory tract.

Subchronic / Chronic

Toxicity:

Not known or reported to cause subchronic or chronic toxicity.

Reproductive and Not known or reported to cause reproductive or developmental toxicity.

**Developmental Toxicity:** 

Triethanolamine This product has been tested and was shown not to

produce any adverse effects on reproductive function or fetal development when administered to laboratory

All Clear® Green Algaecide

REVISION DATE: 04/04/2013 Page 7 of 14





animals.

Ethanolamine This chemical has been tested in laboratory animals

and no evidence of teratogenicity, embryotoxicity or

fetotoxicity was seen.

Citric Acid This chemical has been tested in laboratory animals

and there was no evidence of reproductive toxicity or

teratogenicity.

Mutagenicity: Not known or reported to be mutagenic.

Triethanolamine This chemical has been shown to be non-mutagenic

based on a battery of assays.

Ethanolamine This chemical has been tested in a battery of

mutagenicity/genotoxicity assays and the results were

negative.

Citric Acid This product was determined to be non-mutagenic in

the Ames assay. It was also shown to be negative in

the Dominant lethal assay.

Carcinogenicity: This product is not known or reported to be carcinogenic by any reference

source including IARC, OSHA, NTP or EPA.

Triethanolamine The International Agency for Research on Cancer

(IARC) has classified this product or a component of this product as a Group 3 substance, Unclassifiable as

to Its Carcinogenicity to Humans.

Ethanolamine This product is not known or reported to be carcinogenic

by any reference source including IARC, OSHA, NTP or EPA. Chemicals of similar structure have been shown

not to cause cancer in laboratory animals.

Citric Acid The carcinogenicity has been evaluated through animal

study and it was found not to be carcinogenic.

# 12. ECOLOGICAL INFORMATION

Overview: Toxic to fish and other aquatic organisms.

**Ecological Toxicity Values for: Triethanolamine** 

Fathead minnow (Pimephales - (measured, flow-through) 96 h LC50 = 11,800 mg/l

promelas),

Daphnia magna, - (nominal, static). 24 h EC50= 1,850 mg/l

Common shrimp (Crangon - (nominal, renewal). 48 h LC50> 100 mg/l

crangon)

All Clear® Green Algaecide

REVISION DATE: 04/04/2013 Page 8 of 14



subspicatus)

Green algae (Scenedesmus - (nominal, static). 48 h EC50 = 750 mg/l

#### Ecological Toxicity Values for: Ethanolamine

Rainbow trout (Oncorhynchus (nominal, static). 96 h LC50 = 150 mg/l

mykiss)

Mosquito fish (nominal, static). 96 h LC50 = 337.5 mg/l Bluegill (nominal, static). 96 h LC50 = 329.16 mg/l

Fathead minnow (Pimephales (measured, flow-through) 96 h LC50 = 2,070 mg/l

promelas),

Goldfish (measured, static) 96 h LC50 = 170 mg/l Daphnia magna (Water flea) (nominal, static), 24 h LC50= 140 mg/l

Crangon crangon (shrimp) (nominal, renewal). 48 h LC50> 100 mg/l

48 h LC50= 7,100 mg/l Brine shrimp Daphnia magna (Water flea) 48 h EC50= 65 mg/l

#### Ecological Toxicity Values for: Citric Acid

Lepomis macrochirus (Bluegill - (static). 96 h LC50 = 1,516 mg/l

sunfish)

Daphnia magna (Water flea) - 72 h EC50Approximately 120 mg/l

## 13. DISPOSAL CONSIDERATIONS

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary: If this product becomes a waste, it DOES NOT meet the criteria of a

hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D.As a nonhazardous liquid waste, it should be disposed of in accordance with local, state

and federal regulations.

Potential US EPA Waste Codes: not applicable

All Clear® Green Algaecide

REVISION DATE: 04/04/2013 Page 9 of 14



### 14. TRANSPORT INFORMATION

Land (US DOT): Not Regulated NOT REGULATED AS A DOT HAZARDOUS MATERIAL Water (IMDG): Not Regulated NOT REGULATED AS A HAZARDOUS MATERIAL,

Marine Pollutant: No

Air (IATA): Not Regulated NOT REGULATED AS A HAZARDOUS MATERIAL,

Emergency Response Guide Number: Not applicable

## 15. REGULATORY INFORMATION

**UNITED STATES:** 

Toxic Substances Control Act (TSCA): This is an EPA registered pesticide.

EPA Pesticide Registration Number: None established

FIFRA Listing of Pesticide Chemicals

(40 CFR 180):

This product is regulated under the Federal Insecticide, Fungicide and Rodenticide Act. It must be used for purposes

consistent with its labeling.

### Superfund Amendments and Reauthorization Act (SARA) Title III:

Hazard Categories Sections 311 / 312 (40 CFR 370.2):

Health Immediate (Acute) Health Hazard

Physical None

#### Emergency Planning & Community Right to Know (40 CFR 355, App. A):

#### Extremely Hazardous Substance Section 302 - Threshold Planning Quantity:

ZUS SAR302 TPQ (threshold planning None established

quantity)

Reportable Quantity (49 CFR 172.101, Appendix):

ZUS\_CERCLA Reportable quantity Diethanolamine

Value: 100lbs

ZUS\_SAR302 Reportable quantity None established

### Supplier Notification Requirements (40 CFR 372.45), 313 Reportable Components

ZUS SAR313 De minimis concentration Diethanolamine

Value: < 1% by weight

#### Clean Air Act Toxic ARP Section 112r:

All Clear® Green Algaecide

REVISION DATE: 04/04/2013 Page 10 of 14



CAA 112R None established

#### Clean Air Act Socmi:

HON SOC

US. EPA Hazardous Organic NESHAP (HON) Synthetic Organic Chemicals (40 CFR 63.100-.106, Table 1)

07 1999

Group I

DIETHANOLAMINE (2,2'-IMINODIETHANOL)

US. EPA Hazardous Organic NESHAP (HON) Synthetic Organic Chemicals (40 CFR 63.100-.106, Table

1)

07 1999

Group I

**ETHANOLAMINE** 

US. EPA Hazardous Organic NESHAP (HON) Synthetic Organic Chemicals (40 CFR 63.100-.106, Table

1)

07 1999

Group I

**TRIETHANOLAMINE** 

#### Clean Air Act VOC Section 111:

**CAA 111** 

US. EPA Clean Air Act (CAA) Section 111 SOCMI Intermediate or Final Volatile Organic Compounds (40 CFR 60.489)

01 1996

**ETHANOLAMINE** 

## Clean Air Act Haz. Air Pollutants Section 112:

ZUS\_CAAHAP None established

ZUS CAAHRP None established

CAA AP

US. EPA Hazardous Organic NESHAP (HON) Hazardous Air Pollutants (40 CFR 63.100-.106, Table 2) 04 1999

DIETHANOLAMINE (2,2'-IMINODIETHANOL)

### State Right-to-Know Regulations Status of Ingredients

#### Pennsylvania:

CAS#	COMPONENT NAME
141-43-5	Ethanolamine

All Clear® Green Algaecide

REVISION DATE: 04/04/2013 Page 11 of 14



102-71-6 Triethanolamine

ZUSPA RTK

Pennsylvania: Hazardous substance list

1989-08-11

ETHANOL, 2-AMINO-

Pennsylvania: Hazardous substance list

1989-08-11

ETHANOL, 2,2',2"-NITRILOTRIS-

#### New Jersey:

CAS#	COMPONENT NAME	
141-43-5	Ethanolamine	
102-71-6	Triethanolamine	

ZUSNJ\_RTK

New Jersey Right to Know Hazardous Substance List (RTK-HSL)

2007-03-01

ETHANOLAMINE MONOETHANOLAMINE ETHANOL, 2-AMINO-

Special Health Hazard - Corrosive

New Jersey Right to Know Hazardous Substance List (RTK-HSL)

2007-03-01

TRIETHANOLAMINE ETHANOL, 2,2',2"-NITRILOTRIS-

### Massachusetts:

CAS#	COMPONENT NAME
141-43-5	Ethanolamine
102-71-6	Triethanolamine

ZUSMA RTK

Massachusetts Right to Know List of Chemicals and Hazard Classifications

1993-04-24

ETHANOLAMINE 2-AMINOETHANOL

Massachusetts Right to Know List of Chemicals and Hazard Classifications

1993-04-24

**TRIETHANOLAMINE** 

All Clear<sub>®</sub> Green Algaecide

REVISION DATE: 04/04/2013





**California Proposition 65:** 

CAS # COMPONENT NAME

ZUSCA\_P65 None established

#### WHMIS Hazard Classification:

Ingredient Disclosure List (WHMIS) 2007-08-24

Threshold limits: 1 Weight percent

80

Citric acid

Ingredient Disclosure List (WHMIS)

2007-08-24

Threshold limits: 1 Weight percent

1170

Monoethanolamine

Ingredient Disclosure List (WHMIS)

2007-08-24

Threshold limits: 1 Weight percent

1663

Triethanolamine

Ingredient Disclosure List (WHMIS)

2007-08-24

Threshold limits: 1 Weight percent

985

Copper(II) carbonate hydroxide

# **16. OTHER INFORMATION**

SDS REVISION STATUS:

SECTIONS REVISED: 2, 4, 8, 11

Major References : Available upon request.





THIS SAFETY DATA SHEET (SDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS SDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. AQUA  $\mathrm{TRI}_{\circledcirc}$  BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS SDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT AQUA  $\mathrm{TRI}_{\circledcirc}$  SDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT.